

FILING BY "EXPRESS MAIL" UNDER 37 CFR 1.10

EK90206972545

"Express Mail" label mailing number

8/31/01

Date of Deposit

Form PTO-1390
(REV 10-95)

U. S. Department of Commerce Patent and Trademark Office

ATTORNEY'S DOCKET NUMBER

1-22531/US/AO/UBT 2/PCT

**TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371**

U.S. APPLICATION NO. (If known, see 37 CFR 1.5)

09/914700

INTERNATIONAL APPLICATION NO.
PCT/EP99/01429INTERNATIONAL FILING DATE
MARCH 5, 1999

PRIORITY DATE CLAIMED

TITLE OF INVENTION
NUCLEATORS FOR CRYSTALLIZABLE THERMOPLASTIC POLYMERS

APPLICANT(S) FOR DO/EO/US
HANS-WERNER SCHMIDT, MATHIAS RICKER and THOMAS SCHILDBACH

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☐ This express request to begin national examination procedures (35 U.S.C. 371(f) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39 (1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application (along with 3 formal drawings) as filed (35 U.S.C. 371(c)(2))
 - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☒ has been transmitted by the International Bureau (**See attached Form PCT/IB/308**)
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☐ A translation of the International Application into English 35 U.S.C. 371(c)(2)).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)).
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
8. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11. to 16. below concern document(s) or information included.

11. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A **FIRST** preliminary amendment.
☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
14. ☐ A substitute specification.
15. ☐ A change of power of attorney and/or address letter.
16. ☒ Other items or information: (**See attached Form PCT/ISA/210**)

U.S. APPLICATION NO. 09/914700		INTERNATIONAL APPLICATION NO. PCT/EP 99/01429		ATTORNEY'S DOCKET NUMBER 1-22531/US/AO/UBT 2/PCT	
---------------------------------------	--	---	--	--	--

17. <input checked="" type="checkbox"/> The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492(a) (1)-(5)):				CALCULATIONS PTO USE ONLY	
Search Report has been prepared by the EPO or JPO \$860.00					
International preliminary examination fee paid to USPTO (37 CFR 1.482) \$690.00					
No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2)). \$750.00					
Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO. \$1000.00					
International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4). \$100.00					
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$860.00	
Surcharge of \$130.00 for furnishing the oath of declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	11 - 20 =	0	X \$18.00	\$	
Independent claims	2 - 3 =	0	X \$80.00	\$	
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$270.00	\$	
TOTAL OF ABOVE CALCULATIONS =				\$860.00	
Reduction of 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 CFR 1.9, 1.27, 1.28).				\$	
SUBTOTAL =				\$860.00	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$	
TOTAL NATIONAL FEE =				\$860.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property				\$	
TOTAL FEES ENCLOSED =				\$	
				Amount to be:	
				refunded	
				charged	

a. ☐ A check in the amount of \$_____ to cover the above fees is enclosed.

b. ☒ Please charge my Deposit Account No. 03-1935 in the amount of \$ 860.00 to cover the above fees. A duplicate copy of this sheet is enclosed.

c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 03-1935. A duplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

PLEASE ASSOCIATE THE ATTACHED APPLICATION WITH CUSTOMER NUMBER 000324 AND SEND ALL CORRESPONDENCE TO:

JoAnn Villamizar
Patent Department
540 White Plains Road
P.O. Box 2005
Tarrytown, NY 10591-9005

 SIGNATURE
 Tyler A. Stevenson
 NAME
 46,388
 REGISTRATION NUMBER

CASE 1-22531/US/AO/UBT 2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF
HANS-WERNER SCHMIDT ET AL
APPLICATION NO: Not Yet Assigned
FILED: Concurrently Herewith
FOR: NUCLEATORS FOR CRYSTALLIZABLE
THERMOPLASTIC POLYMERS

Group Art Unit:
Examiner:

Assistant Commissioner for Patents
Washington, D.C. 20231

PRELIMINARY AMENDMENT

Dear Sir:

Applicants present the instant Preliminary Amendment for entry and consideration in order to place the instant application in better condition for examination on its merits.

The Commissioner is authorized to charge any fee due, or credit any overcharge, as a result of this Preliminary Amendment to Deposit Account No. 03-1935.

Please amend the above-identified patent application, without prejudice, as follows:

IN THE CLAIMS:

Amend claims 3, 4, 5, 6, 7, 8 and 9 as follows:

3. (amended) A composition according to claim 1 wherein said moiety B, which may be the same of different at each occurrence, comprises one or more units selected from the group consisting of esters, thioester, ethers, thioethers, ketones, secondary and tertiary amines, amides, imides, imines, azo, azoxy, ureas, urethanes, thiourethanes and sulfonamides.
4. (amended) A composition according to claim 1 wherein said moiety B', which may be the same of different at each occurrence, are selected from the group of moieties that comprises one or more carboxylic acid and sulfonic acid, alcohol, phenol, thiol, amine, acetamide, cyano and hydrazine groups.
5. (amended) A composition according to claim 1 wherein said moieties X and X', which may or may not be chiral, and are the same or different at each occurrence are selected from the group consisting of: H, linear and branched alkyl, alkenyl, alkoxy, alkanoyl, alkylthio, alkylthioalkyl, each having from 1 to 20 carbon atoms; linear and branched alkylaryl, arylalkyl, alkylsulfinyl, alkoxyalkyl, alkylsulfonyl, alkoxycarbonyl, carboxylic acid, where the alkyl or alkoxy each has from 1 to 20 carbon atoms; alkyl having from 1 to 20 carbon atoms substituted with one or more sulfonic acid, carboxylic acid, halogen, nitro, cyano, diazo, or epoxy moieties; one or more substituted and unsubstituted single and fused 3, 4, 5, 6 or 7 membered aromatic and alicyclic carbon rings, which rings may include one or more heteroatoms of nitrogen, sulfur, sulfinyl, sulfonyl or oxygen or combinations thereof.
6. (amended) A composition according to claim 1, wherein said composition is characterized in that its peak temperature of crystallization is at least 3°C higher than the peak temperature of crystallization of said crystallizable thermoplastic polymer.
7. (amended) A composition according to claim 1, wherein said composition is characterized in that the size of polymer spherulites in said composition is less than 50% of the size of spherulites in neat crystallized thermoplastic polymer that is void of said nucleators.

8. (amended) A process for enhancing the rate of crystallization of a crystallizable thermoplastic polymer that comprises the addition of an amount between about 0.001 percent by weight and about 20 percent by weight of one or more nucleators as defined in claim 1.

9. (amended) Shaped objects comprising the composition according to claim 1 selected from the group consisting of films, fibers, containers, coatings, parts, membranes, rods, tubes, fabrics, and foams.

Cancel claim 11

2025-11-03 09:44:00

Remarks

Upon entry of the instant Preliminary Amendment, claims 1-10 and 12 are pending. Multiple dependencies in claims 3-9 have been eliminated without prejudice to the filing of claims directed to such subject matter in this or a subsequent application. Claim 11 has been canceled. No new matter has been added.

In view of the foregoing amendments, Applicants aver that the instant claims are now in better condition for examination on the merits. Early favorable action is respectfully solicited. If minor amendments will further prosecution, Applicants request that the Examiner contact the undersigned representative.

Respectfully submitted



David R. Crichton
Attorney for Applicants
Reg. No. 37,300

Ciba Specialty Chemicals Corporation
540 White Plains Road
P.O. Box 2005
Tarrytown, New York 10591-9005
Tel: 914-785-7124
Fax: 914-785-7102
DRC/

Amended Claims with Mark-up

3. (amended) A composition according to ~~claims 1 or 2~~claim 1 wherein said moiety B, which may be the same or different at each occurrence, comprises one or more units selected from the group consisting of esters, thioester, ethers, thioethers, ketones, secondary and tertiary amines, amides, imides, imines, azo, azoxy, ureas, urethanes, thiourethanes and sulfonamides.
4. (amended) A composition according to ~~any of claims 1 to 3~~claim 1 wherein said moiety B', which may be the same or different at each occurrence, are selected from the group of moieties that comprises one or more carboxylic acid and sulfonic acid, alcohol, phenol, thiol, amine, acetamide, cyano and hydrazine groups.
5. (amended) A composition according to ~~any of claims 1 to 4~~claim 1 wherein said moieties X and X', which may or may not be chiral, and are the same or different at each occurrence are selected from the group consisting of: H, linear and branched alkyl, alkenyl, alkoxy, alkanoyl, alkylthio, alkylthioalkyl, each having from 1 to 20 carbon atoms; linear and branched alkylaryl, arylalkyl, alkylsulfinyl, alkoxyalkyl, alkylsulfonyl, alkoxycarbonyl, carboxylic acid, where the alkyl or alkoxy each has from 1 to 20 carbon atoms; alkyl having from 1 to 20 carbon atoms substituted with one or more sulfonic acid, carboxylic acid, halogen, nitro, cyano, diazo, or epoxy moieties; one or more substituted and unsubstituted single and fused 3, 4, 5, 6 or 7 membered aromatic and alicyclic carbon rings, which rings may include one or more heteroatoms of nitrogen, sulfur, sulfinyl, sulfonyl or oxygen or combinations thereof.
6. (amended) A composition according to ~~any of claims 1 to 5~~claim 1, wherein said composition is characterized in that its peak temperature of crystallization is at least 3°C higher than the peak temperature of crystallization of said crystallizable thermoplastic polymer.
7. (amended) A composition according to ~~any of claims 1 to 6~~claim 1, wherein said composition is characterized in that the size of polymer spherulites in said composition is less than 50% of the size of spherulites in neat crystallized thermoplastic polymer that is void of said nucleators.

8. (amended) A process for enhancing the rate of crystallization of a crystallizable thermoplastic polymer that comprises the addition of an amount between about 0.001 percent by weight and about 20 percent by weight of one or more nucleators as defined in ~~any of claims 1 to 6~~claim 1.

9. (amended) Shaped objects comprising the composition according to ~~any of claims 1 to 7~~claim 1 selected from the group consisting of films, fibers, containers, coatings, parts, membranes, rods, tubes, fabrics, and foams.

2025-04-04 15:00

Nucleators For Crystallizable Thermoplastic Polymers

This invention relates to compositions comprising nucleators for crystallizable thermoplastic polymers and in particular to nucleators that comprise moieties that are capable of forming intermolecular hydrogen bonds and that are thermally stable, and to the use thereof.

Nucleating agents and clarifiers are commonly used in industrial practice in combination with crystallizable thermoplastic polymers to reduce processing cycle times or to impart improved physico-chemical characteristics, such as various optical and mechanical properties, as well as to reduce mold shrinkage. Elaborate lists of nucleating agents and clarifiers can be found in, for example, US Pat. No. 3,367,926, Plastics Additives Handbook (4th Ed. Hanser, Munich, 1990, p. 863). Typical nucleating agents known in the art are metallic salts of aliphatic or aromatic carboxylic acids, aromatic salts, metallic salts of aromatic phosphorus compounds, quinacridones, pigments, polymers having melting points, highly branched polymers containing dendritic branches (dendrimers), and minerals such as chalk, gypsum, clay, kaolin, mica, talc and silicates, as well as combinations thereof (US Pat. Nos. 5,278,216; 5,137,973; 4,749,736; 4,694,064; 4,338,228; 3,852,237; U. Johnsen and K.-H. Moos, Angew. Makromol. Chem, vol. 74, p. 1 (1978); A. Wlochowicz and M. Eder, Angew. Makromol. Chem, vol.

171, p. 79 (1989); H. N. Beck, J. Appl. Polym. Sci., vol. 11, p. 673 (1967); F. L. Binsbergen, Polymer, vol. 11, p. 253 (1970)). In addition, German Offenlegungsschrift 1951 632 discloses the use of solid, crystalline aromatic
5 carboxylicimide-diphthalimides and N-substituted aromatic carboxylic imide-diphthalimides.

More recently developed nucleating agents and clarifiers dissolve in the polymer melt (R. Schlotmann and R. Walker, Kunststoffe, vol. 86, p. 1002 (1996)), which
10 was found to be effective for improving dispersion of these additives. Most popular have become compounds that are based on D-sorbitol, which belongs to the general chemical family of carbohydrates, that is defined as polyhydroxy aldehydes, polyhydroxy ketones, or compounds
15 that can be hydrolyzed to them (R. T. Morrison and Robert Neilson Boyd, Organic Chemistry, 2nd. Ed., (Allyn and Bacon, Inc., Boston), 1966, p. 983). There are several commercial nucleators based on sorbitol including 1,3-2,4-di(benzylidene)-D-sorbitol (Millad 3905, Milliken Chemical
20 Co.); 1,3-2,4-di(4-tolylidene)-D-sorbitol (Millad 3940, Milliken Chemical Co.); 1,3-2,4-di(4-ethylbenzylidene)-D-sorbitol (N-4, Mitsui Petrochemical Industries, Ltd.). US Pat. Nos. 5,574,174; 5,198,484; and WO 95/13317 disclose the preparation and use of sorbitol derivatives. US Pat.
25 No. 4,294,747 discloses polyhydric alcohol acetals of benzaldehyde and derivatives thereof. US Pat. No. 5,216,051 describes triacetal polyol compounds. Use of dibenzylidene sorbitol (US Pat. No. 4,016,118) in

combination with phenyl phosphate compounds is disclosed in US Pat. No. 4,585,817. Despite wide-spread commercial application, there exist a number of difficulties that are associated with carbohydrate-based compounds as nucleating and clarifying agents. First, the preparation and purification of sorbitol-based nucleating agents is cumbersome. Another of the well-known difficulties associated with the use of sorbitol clarifying agents in, for example, polyolefins resins is the formation of small bubbles in articles fabricated from these resins, which appear as white points (US Pat. No. 5,198,484). Finally, among other disadvantages is their unsatisfactory temperature stability that, unfortunately, is inherent to this class of materials.


Thus, a need continues to exist for effective nucleating agents that are useful to enhance processing and physico-chemical properties of thermoplastic polymers.

Now, it has been discovered that certain organic compounds that comprise moieties that are capable of forming intermolecular hydrogen bonds are effective nucleating agents for crystallizable thermoplastic polymers, provided that those compounds also comprise moieties that are compatible with the thermoplastic polymer.

Thus, the present invention relates to compositions which comprise:

(i) one or more nucleators that comprise moieties that are capable of forming intermolecular hydrogen bonds; and

(ii) one or more crystallizable thermoplastic polymers, which may optionally include common additives and fillers. Particularly, the present invention relates to A composition comprising (i) a crystallizable thermoplastic polymer and (ii) one or more nucleators of the formula



(1)

wherein:

x is an integer from two to seven;

y is an integer from zero to four;

z is an integer from zero to four;

the sum $x + y + z$ equals an integer from three to seven;

m is an integer from one to three;

and wherein A is a center that is covalently bonded with moieties B, B' or X', or combinations thereof; wherein said moieties B and B' comprise at least one unit capable of forming one or more intermolecular hydrogen bonds; wherein moieties X and X' are compatible with said crystallizable thermoplastic polymer; and wherein X is

covalently bonded to B.

Another aspect of the present invention relates to compositions of a crystallizable thermoplastic polymer and a nucleator that comprises moieties that are capable
5 of forming intermolecular hydrogen bonds and moieties that are compatible with the crystallizable thermoplastic polymer.

Another aspect of the present invention relates to compositions of a crystallizable thermoplastic polymer and a nucleator that are characterized in that, upon
10 cooling from the melt, their peak temperature of crystallization is at least about 3 °C higher than the peak temperature of crystallization of the neat -that is nucleating agent free- thermoplastic polymer.

Still another aspect relates to compositions of a crystallizable thermoplastic polymer and a nucleator that are characterized in that, after cooling from the
15 melt, the size of the spherulites in the crystallized polymer is less than 50 % of the size of the spherulites in the neat crystallized thermoplastic polymer.
20

Still yet another aspect of the present invention relates to compositions of a crystallizable thermoplastic polymer and one or more nucleators that are
of reduced haze when compared to the neat crystallized
25 thermoplastic polymer.

Yet another aspect of the present invention relates to compositions of a crystallizable thermoplastic

polymer and one or more nucleators that are of enhanced thermal stability.

Still other aspects of the present invention relate to a novel process for enhancing the rate of crystallization of a melt of a crystallizable thermoplastic polymer, which comprises adding to said melt an effective amount of the nucleators of this invention, and to products made according to that novel process.

Still yet another object of the present invention is to provide products made from crystallizable thermoplastic polymers that comprise an effective amount of the nucleators of this invention.

Advantages that flow from the present invention include a reduction of the processing times of crystallizable thermoplastic polymers. Moreover, the polymers formed in accordance with this invention are characterized by relatively improved thermal, optical and/or mechanical properties. Additional objects, advantages and novel features of the present invention will be set forth in the description that follows, and in part will become apparent to those skilled in the art on examination of the following , or may be learned by practice of the invention. The objects and advantages of the invention may be realized and attained by means of the instrumentalities and combinations particularly pointed out in the appended claims.

The invention will be more fully understood and further advantages will become apparent in the following detailed description of the invention and the accompanying drawings in which:

5 FIG. 1 is an optical photomicrograph of a film of isotactic polypropylene which does not contain a nucleating agent. The film was compression molded at 210 °C, subsequently cooled at a rate of 10 °C/min and crystallized at 104 °C. Magnification 120 times.


10 FIG. 2 is an optical photomicrograph of a film of isotactic polypropylene which contains 0.75 % by weight of the nucleating agent tris[3,4-bis(decyloxy)phenylene-carbonylimino-1,4-phenylene]amine, (hereinafter also referred to as compound I-1 of Table 1).
15 The film was compression molded at 210 °C, subsequently cooled at a rate of 10 °C/min and crystallized at 104 °C. Magnification 120 times.

 FIG. 3 depicts Thermo-Gravimetric Analysis (TGA) records carried out under nitrogen on compounds I-5 (3) and I-7 (2) in Table 1 and Millad 3988 (1) showing the enhanced thermal stability of the compounds according to the present invention.

25

The Nucleators

The nucleators for crystallizable thermoplastic polymers according to this invention are of the following general schematic formula:



wherein:

x is an integer from two to seven;

y is an integer from zero to four;

z is an integer from zero to four;

the sum $x + y + z$ equals an integer from three to seven;

m is an integer from one to three.

In formula (1), A is a center that is covalently bonded to moieties B, B' or X', or combinations thereof, wherein the moieties B and B' comprise at least one unit capable of forming one or more intermolecular hydrogen bonds; and wherein the moieties X and X' are compatible with the crystallizable thermoplastic polymer, and wherein X is covalently bonded to B. The role of the center moiety A is to provide a means to connect a plurality of moieties B, B', or X' and combinations thereof that are beneficial for the formation of structures that induce nucleation of

the crystallizable thermoplastic polymer.

Preferred nucleators for crystallizable thermoplastic polymers according to this invention are
5 those of the schematic formula (1), wherein:

x is an integer from three to six;

y is an integer from zero to three;

z is an integer from zero to two;

the sum $x + y + z$ equals an integer from three to
10 seven;

m is the integer one or two.

Among the preferred nucleators according to this invention more preferred are those of the formula (1)
15 wherein:

x is the integer three or four;

y is an integer from zero to two;

z is the integer zero or one;

the sum $x + y + z$ equals an integer from three to six;

20 m is the integer one or two.

Most preferred nucleators for crystallizable thermoplastic polymers according to this invention are of the general schematic formula (1), wherein:

25 x is three;

y is an integer from zero to two;

z is the integer zero or one;

the sum $x + y + z$ equals an integer from three to six;
m is the integer one or two.

Illustrative of moieties that are useful as the
5 center A of the nucleators according to the present
invention are carbon, nitrogen, phosphorus, boron and
silicon, without and with one or more aromatic,
cycloaliphatic, aliphatic, alkene, alkyne, diene, ether,
thioether or ketone links, and combinations thereof,
10 connected to them; unsubstituted and substituted, single
and fused 4, 5, 6 or 7 membered aromatic and
cycloaliphatic carbon rings, which rings may include one
or more heteroatoms such as nitrogen, sulfur and oxygen,
and combinations thereof, and without and with one or more
15 aromatic, cycloaliphatic, aliphatic, alkene, alkyne,
diene, ether, thioether or ketone links, and combinations
thereof, connected to them.

Preferred moieties are carbon and nitrogen,
20 without and with one or more aromatic, cycloaliphatic or -
(CH₂)_p- links, and combinations thereof, connected to them,
where p is 1 or 2; unsubstituted and substituted, single
and fused 5 and 6 membered aromatic and cycloaliphatic
carbon rings, which rings may include one or more
25 heteroatoms such as nitrogen, sulfur or oxygen, and
combinations thereof, and without and with one or more
aromatic, cycloaliphatic or -(CH₂)_p- links, and

combinations thereof, connected to them, where p is 1 or 2.

Among the preferred moieties, more preferred
5 moieties are carbon and nitrogen, with one or more
aromatic or cycloaliphatic links, and combinations
thereof, connected to them; unsubstituted and substituted,
single and fused 6 membered aromatic and cycloaliphatic
carbon rings, which rings may include one or more nitrogen
10 atoms, without and with one or more aromatic,
cycloaliphatic or $-(CH_2)_p-$ links, and combinations thereof,
connected to them, where p is 1 or 2.

Most preferred among the more preferred moieties
15 that are useful as the center A of the nucleators
according to the present invention are the following
structures which may or may not be substituted:

5

part. Hereinafter, a hydrogen bond is defined as that bond that is due to the electrostatic interaction between a hydrogen atom and a strong electronegative element of small atomic radius, such as fluor, oxygen and nitrogen, and to a lesser extend, chlorine and sulfur (Lehrbuch der Organischen Chemie, H. Beyer; Hirzel, Stuttgart, 1976, p. 105, 106). The function of the moieties B and B' is to induce and guide and stabilize the formation of the structures that are beneficial for nucleation of the crystallizable thermoplastic polymer.

Illustrative examples of moieties B, which may be the same or different at each occurrence, are those that comprise esters, thioester, ethers, thioethers, ketones, secondary and tertiary amines, amides, imides, imines, azo, azoxy, ureas, urethanes, thiourethanes, sulfonamides and the like.














Preferred moieties B, which may be the same or different at each occurrence, are those that comprise one or more units selected among amides, imides, imines, ureas, urethanes, thiourethanes, sulfonamides and the like. Among the preferred moieties, more preferred moieties B, which may be the same or different at each occurrence, are those that comprise one or more units selected among amides, imides and sulfonamides. Especially preferred are those that comprise amide units.



























Illustrative examples of moieties B', which may be the same or different at each occurrence, are those moieties that comprise acids such as carboxylic acids, sulfonic acids, alcohols, phenols, thiols, amines, acetamides, cyano groups, hydrazine, and the like.

The nucleators for crystallizable thermoplastic polymers according to the present invention comprise moieties X and X', the function of which is to compatibilize with, and assist in dispersing of the nucleators within the crystallizable thermoplastic polymers. Hence, selection of the particular chemical nature of the moieties X and X' is dependent on the choice of the crystallizable thermoplastic polymer. In general, nucleators comprising moieties X and X' that are of a polar nature are used in combination with the more polar thermoplastic polymers comprising polar groups. Nucleators comprising less polar moieties X and X' are used in combination with less polar thermoplastic polymers comprising few or no polar groups. Generally, the moieties X and X', which may or may not be chiral are the same or different at each occurrence and are selected from the group consisting of: H, linear and branched alkyl, alkenyl, alkoxy, alkanoyl, alkylthio, alkylthioalkyl, each having from 1 to about 20 carbon atoms; linear and branched alkylaryl, arylalkyl, alkylsulfinyl, alkoxyalkyl, alkylsulfonyl, alkoxycarbonyl, carboxylic acid, where the alkyl or alkoxy each has from 1 to about 20 carbon atoms;

alkyl having from 1 to about 20 carbon atoms substituted with one or more sulfonic acid, carboxylic acid, halogen, nitro, cyano, diazo, or epoxy moieties; one or more substituted and unsubstituted single and fused 3, 4, 5, 6 or 7 membered aromatic and alicyclic carbon rings, which rings may include one or more heteroatoms of nitrogen, sulfur, sulfinyl, sulfonyl or oxygen, such as thiophenyl, pyrrolyl, furanyl, pyridinyl, or combinations thereof.

The most preferred embodiments of this invention comprising nucleating agents are selected from the group consisting of:

Center: A	Substitution		
	B: - NH - CO -	m = 1	x = 3 y = 0 z = 0
	X': -	B': -	x + y + z = 3
	X: - CH ₂ - CH ₂ - CH ₂ -		- CH ₂ - 
			
			
			
			
	- C ₄ H ₉	- C ₅ H ₁₁	- C ₆ H ₁₁

Center: A	Substitution		
	B: - NH - CO -	m = 1	x = 3 y = 0 z = 0
	X': -	B': -	x + y + z = 3
	X:	   	
			
			
	  	  	
Center: A	Substitution		
	B: - CO - NH -	X': -	B': -
	X:	  	
			
			
	  		

As an illustration of its use, and for further guidance, the above structures are also given according the notation of the schematic formula (1). Preferably, the above nucleators are used in combination with weakly, or non-
5 polar, crystallizable thermoplastic polymers, such as isotactic polypropylene, and copolymers thereof.

The nucleators according to the present invention have thermal properties, such as melting temperatures, that may vary widely, depending on the
10 precise structure of the nucleator. For use in the practice according to the present invention, the nucleators preferably have a solidification temperature, i.e. that temperature or temperature range in which the molten or dissolved nucleator forms an molecular aggregate
15 or solid, is equal to, or exceeds the temperature at which the crystallizable thermoplastic polymer crystallizes in the absence of the nucleator of the present invention.

Particularly excluded from the present invention are those structures that are based on carbohydrates, or
20 comprise carbohydrate units, such as, for example, sorbitol and its derivatives. Such structures generally are well-known, and suffer from limited thermal stability, and, hence, are of restricted use as nucleating agents or clarifiers, especially for crystallizable thermoplastic
25 polymers that have high melting temperatures or softening points, which generally require high processing temperatures. By contrast, the compositions according to

the present invention have high decomposition temperatures, typically above 230 °C.

Some compounds of the general structural formula
5 (1) have been described in the prior art. For example, Yasuda et al. described the preparation of N,N',N''-tristearyltrimesamide (Chem. Letters, vol. 7, p. 575 (1996)). Also described is 4,4',4''-tris(stearoylamino)-triphenylamine (Y. Yasuda, Y. Takebe, M. Fukumoto, H.
10 Inada and Y. Shirota, Adv. Mat., vol. 8, p. 740 (1996)). However, the use of such compounds in combination with crystallizable thermoplastic polymers, and, particularly, their use as nucleating agents for crystallizable thermoplastic polymers has not been disclosed or
15 suggested.

The amount of the nucleator according to the present invention added to a crystallizable thermoplastic polymer is an "effective amount". As used herein, an
20 "effective amount" is an amount which is sufficient to increase the crystallization peak temperature of the polymer by at least 3 °C. Such amounts will normally correspond to amounts of conventional nucleating agents. In the preferred embodiments of the present invention, the
25 amount of the nucleator employed is in the range from about 0.005 weight percent to about 20 weight percent based on the total weight of the polymer in the composition, and in the particularly preferred embodiments

of this invention is from about 0.005 weight percent to about 10 weight percent, on the aforementioned basis. Amongst these particularly preferred embodiments, most preferred are those embodiments where the amount of
5 nucleator employed is from about 0.005 weight percent to about 5 weight percent based on the total weight of the polymer in the composition according to the present invention.

The composition according to the present
10 inventions are characterized in that the size of polymer spherulites in the thermoplastic polymer composition typically is less than 50 % of the size of spherulites in neat crystallized thermoplastic polymer that is void of the present nucleators; and, as a result, the former are
15 of lower haze in comparison with the latter.

The Crystallizable Thermoplastic Polymers

The crystallizable thermoplastic polymers for use in the practice of this invention may vary widely, and
20 are selected for the particular end uses of the product comprising the compositions of the present invention. Hence, the crystallizable thermoplastic polymers useful in the present invention include all thermoplastic polymers and copolymers commonly used in plastic products. Examples
25 of useful crystallizable thermoplastic homopolymers or copolymers are polyolefins such as polyethylenes, stereoregular polypropylenes, ethylene-propylene copolymers, stereoregular polystyrenes, polynorbonene,

polyisobutylene, poly(1-butene), poly(3-methyl-1-butene),
poly(1-pentene), poly(4-methyl-1-pentene), poly(1-hexene),
poly(5-methyl-1-hexene), poly(2-methylstyrene), poly(4-
methoxy styrene) and the like, and copolymers thereof,
5 aromatic or aliphatic polyoxides such as polyoxymethylene,
poly(ethylene oxide), poly(tetra-methyloxiide), poly-
(propylene oxide), polyphenylene oxides, polysulfides such
as poly(propylene sulfide), poly(phenylene sulfide) and
the like, and copolymers thereof, aromatic, aliphatic and
10 aromatic-aliphatic polyamides, such as nylon 6, nylon 12,
nylon 6.6, nylon 6.10, and the like, aromatic, aliphatic
and aromatic-aliphatic polyesters, such as poly(ethylene
terephthalate), poly(butylene terephthalate), poly-
(ethylenenaphthalate), poly(vinylalcohol), polycarbonates.

15

In addition to the above essential components,
the compositions according to the present invention may
optionally include one or more other components which are
additives commonly employed with thermoplastic resins.

20 Such optional components include fillers, reinforcing
components, plasticizers, dispersion aids, impact
modifiers, chain extenders, colorants, mold release
agents, metal deactivators, antioxidants, light
stabilizers, lubricants, antistatic agents, fire
25 retardants, fluorescent whitening agents, biostabilizers,
chemical blowing agents, cross-linking agents and other
nucleating agents. These optional components are well
known to those skilled in the art, and are described in

standard texts and handbooks such as Plastics Additives Handbook (4th Ed. Hanser, Munich, 1990).

5 The compositions according to the present invention can be prepared by blending or mixing the essential ingredients, and other optional components as uniformly as possible employing conventional compounding means. Appropriate compounding means, such as extrusion, batch blending and the like, are well known in the art and
10 will not be described here in detail. Also, all or a portion of the various components can be masterbatched or preblended in the melt or in an appropriately selected solvent.

15 The compositions according to the present invention are outstandingly suitable for the production of films, fibers, containers, coatings, parts, membranes, rods, tubes, fabrics, and foams and the like that are of improved clarity and mechanical properties, and that are
20 manufactured at reduced cycling times. Thus, the present invention further relates to a process for enhancing the rate of crystallization of a crystallizable thermoplastic polymer that comprises the addition of an amount between about 0.001 percent by weight and about 20 percent by
25 weight of one or more nucleators to yield the above shaped objects.

In specific embodiments, the composition of the present invention comprises the following combinations: one or more polyolefins, such as polyethylenes, stereoregular polypropylenes and ethylene-propylene
5 copolymers and one or more of the following nucleators of formula (1), wherein:

- i) the center A is a single atom selected from the group consisting of nitrogen and phosphorus; or A is an unsubstituted or substituted, single or fused 5 or 6
10 membered heterocyclic aromatic or nonaromatic ring, which ring includes carbon and one or more atoms such as nitrogen, sulfur or oxygen, or combinations thereof; and
- ii) moieties B that are the same at each occurrence and comprise amides or ureas; or moieties B that are not the same at each occurrence and comprise at least 2 amides and
15 at least 1 moiety selected from the group consisting of esters and ureas; or moieties B that are not the same at each occurrence and that comprise at least 2 ureas and at least 1 moiety selected from the group consisting of
20 esters and amides.
- iii) x is three; y is the integer zero or one; z is the integer zero or one; m is the integer one or two.

EXAMPLES

The compounds of the formula (1) can be prepared by methods known per se, as described in the literature (for example in the standard works such as Houben-Weyl, Methoden der Organischen Chemie [Methods of Organic Chemistry], published by Georg Thieme, Stuttgart), under reaction conditions which are known. In carrying out these reactions, it is also possible to take advantage of variants known per se which are not specifically mentioned here. The starting substances can, if so desired also be formed in situ, by not isolating them out of the reaction mixture but immediately reacting them further to the compounds of the formula (1).

The compounds related to the invention are illustrated by the examples which follow. Given are m.p. = melting points of the various compounds. Heretofore and hereinafter, percentages are by weight; all temperatures are given in degrees Celsius, °C. "Customary working up" means: addition to water, filtration of precipitate, extracting with organic solvent and/or purifying the product by crystallization and/or chromatography.

Example A:

4.05 g (10.2 mmol) 3,4-bis(octyloxy)benzoic acid chloride and 0.5 g dry LiCl were added under inert atmosphere to 50 ml of dry NMP and 5 ml of dry pyridine and cooled to 5 °C. 0.99 g (3.4 mmol) tris(4-aminophenylene)amine was added. The reaction mixture was

heated to 75 °C. After 2 hours the reaction mixture was added to 500 ml of distilled water. The precipitate was filtered off. Customary work-up gives tris[3,4-bis(octyloxy)phenylene-carbonylimino-1,4-phenylene]amine

5 (Table I, No. I-7). m.p.: 229 °C.

The following compounds were prepared analogously:

tris[3,4-bis(decyloxy)phenylene-carbonylimino-1,4-phenylene]amine (compound I-1), m.p.: 211 °C;

10 tris[3,4-bis(nonyloxy)phenylene-carbonylimino-1,4-phenylene]amine (compound I-2), m.p.: 219 °C;

tris[3,4,5-tris(ethyloxy)phenylene-carbonylimino-1,4-phenylene]amine (compound I-3), m.p.: 258 °C;

15 tris[cyclopentyl-carbonylimino-1,4-phenylene]amine (compound I-4), m.p.: 270 °C;

tris[cyclohexyl-carbonylimino-1,4-phenylene]amine (compound I-5), m.p.: 276 °C;

tris[3-cyclohexylpropylene-carbonylimino-1,4-phenylene]amine (compound I-6), m.p.: 238 °C;

20 tris[cyclohexylmethylenecarbonylimino-1,4-phenylene]amine (compound I-8), m.p.: 335 °C;

tris[phenylcarbonylimino-1,4-phenylene]amine (compound I-9), m.p.: 198 °C.

25 Example B:

1.76 g (12.0 mmol) cyclohexanecarboxylic acid chloride and 0.5 g dry LiCl were added under inert atmosphere to 50 ml of dry NMP and 5 ml of dry pyridine

and cooled to 5 °C. 0.40 g (3.0 mmol) 2,4,6-triaminotoluene was added. The reaction mixture was heated to 75 °C. After 2 hours the reaction mixture was added to 500 ml of distilled water. The precipitate was filtered off.

5 Customary work-up gives 2,4,6-(cyclohexanecarbonylimino)-toluene (Table I, No. II-1). m.p.: 199 °C.

Example C:

1.75 g (10.0 mmol) 4-cyclohexylphenylamine and
10 0.5 g dry LiCl were added under inert atmosphere to 50 ml of dry NMP and 5 ml of dry pyridine and cooled to 5 °C. 0.80 g (3.0 mmol) 1,3,5-benzenetricarboxylic acid chloride was added. The reaction mixture was heated to 75 °C. After 2 hours the reaction mixture was added to 500 ml of
15 distilled water. The precipitate was filtered off. Customary work-up gives 1,3,5-(cyclohexyl-1,4-phenyleneiminocarbonyl)benzene (Table I, No. III-2). m.p.: 317 °C.

The following compounds were prepared
20 analogously:

- 1,3,5-(4-t-butylphenyleneiminocarbonyl)benzene
(compound III-1), m.p.: 358 °C;
- 1,3,5-(4-hexyloxyphenyleneiminocarbonyl)benzene
(compound III-3), m.p.: 80 °C;
- 25 1,3,5-(n-butyliminocarbonyl)benzene
(compound III-4), m.p.: 219 °C;
- 1,3,5-(phenyliminocarbonyl)benzene
(compound III-5), m.p.: 311 °C.

Example D:

3.00 g (10.3 mmol) tris(4-aminophenylene)amine and 0.1 g dry LiCl were added under inert atmosphere to 70 ml of dry NMP and 10 ml of dry pyridine and cooled to 5 °C. 4.30 g (36.2 mmol) phenylisocyanate was added. The reaction mixture was heated to 75 °C. After 2 hours the reaction mixture was added to 400 ml of cold distilled water. The precipitate was filtered off. Customary work-up gives tris[phenyliminocarbonylimino-1,4-phenylene]amine-
10 (Table I, No. IV-1). m.p.: 278 °C.

The following compound was prepared analogously:
tris[cyclohexyliminocarbonylimino-1,4-phenylene]amine
(compound IV-2). m.p.: 230 °C.

15 Example E:

1.89 g (15.0 mmol) 2,4,6-triamino-1,3,5-triazine and 35 ml triethylamine were added under inert atmosphere to 130 ml of dry 1,4-dioxane and cooled to 5 °C. 9.28 g (60.0 mmol) 3-methylbenzoic acid chloride was added. The
20 reaction mixture was heated under reflux for 3 hours. The reaction mixture was cooled to room temperature and added to 600 ml of cold distilled water. The precipitate was filtered off, dried. Customary work-up gives tris[3-methylphenylenecarbonylimino]-1,3,5-triazine.

25 (Table I, No. V-1). m.p.: 227 °C.

The following compound was prepared analogously:
tris[phenylcarbonylimino]-1,3,5-triazine (compound V-2).
m.p.: 277 °C.

Example F:

1.89 g (15.0 mmol) 2,4-diamino-6-hydroxypyrimidine and 0.1 g dry LiCl were added under inert atmosphere to 130 ml of dry NMP and 25 ml of dry pyridine and cooled to 5 °C. 8.06 g (55.0 mmol) cyclohexanecarboxylic acid chloride was added. The reaction mixture was heated to 75 °C. After 2 hours the reaction mixture was added to 400 ml of cold distilled water. The precipitate was filtered off. Customary work-up gives 2,4-bis[cyclohexylcarbonylimino], 6-[cyclohexylcarbonyloxy]pyrimidine. (Table I, No. VI). m.p.: 225 °C.

Example G:

1.40 g (5.8 mmol) 3,5-diaminobenzoic acid-4-methylphenyl ester was added under inert atmosphere to 30 ml of dry NMP and 1.3 ml of dry pyridine and cooled to 5 °C. 2.16 g (14.0 mmol) phenylacetyl chloride was added. The reaction mixture was heated to 90 °C. After 2 hours the reaction mixture was added to 400 ml of cold distilled water. The precipitate was filtered off. Customary work-up gives 3,5-bis[benzylcarbonylimino]benzoic acid-4-methylphenyl ester. (Table I, No. VII). m.p.: 212 °C.

Example H:

1.5 g (9.8 mmol) 3,5-diaminobenzoic acid-3,5-dimethyl-phenylamide was added under inert atmosphere to 30 ml of dry NMP and cooled to 5 °C. 2.70 g (21.6 mmol)

cyclohexyl isocyanate was added. The reaction mixture was heated to 75 °C. After 4.5 hours the reaction mixture was added to 300 ml of cold distilled water. The precipitate was filtered off. Customary work-up gives 3,5-
5 bis[cyclohexyliminocarbonylimino]benzoic acid-3,5-dimethylphenyl-amide. (Table I, No. VIII). m.p.: 295 °C.

I. GENERAL PROCEDURES

10 A. Mixing Procedure A

About 20 mg (1 % by weight) of the powdered additive was added to about 2 g of the powdered isotactic polypropylene and refluxed in a flask with 100 ml of *p*-xylene (Aldrich Chemical Co.) at 120 °C for about 1 hr.
15 Subsequently, the flask was cooled to room temperature. The mixture was then further cooled with liquid nitrogen and freeze-dried at room temperature under vacuum, yielding a powdered polypropylene-additive mixture. The neat polypropylene was also treated similarly to obtain a
20 reference control sample.

B. Mixing Procedure B-1

About 50 mg (1 % by weight) of powdered additive was added to about 4.95 g of the powdered isotactic
25 polypropylene (Aldrich Chemical Co.), tumble mixed and ground in a mortar. Portions of this mixture were heated to 220 °C, unless indicated otherwise, for a period of about 5 to 10 min, and subsequently cooled down to room

temperature. Polypropylene alone was similarly treated to produce a blank control sample. The loading of the additives was 1 % by weight unless otherwise noted.

5 B. Mixing Procedure B-2

To 59.91 g of the powdered isotactic polypropylene (Aldrich Chemical Co.) or to a copolymer of isotactic polypropylene comprising a minor amount of ethylene comonomer (ELF-Atochem) 90 mg of powdered additive (0.15 % by weight) was added, and tumble-mixed for 24 h in a glass container. Portions of this mixture were compounded at 230 °C in a small-scale, laboratory twin-screw, recycling extruder for a period of about 10 min, and subsequently collected at room temperature. The polypropylenes alone were similarly treated to produce a blank control sample.

C. Differential Scanning Calorimetry (DSC)

A Perkin-Elmer DSC instrument (Model DSC 7), operated in a dry nitrogen atmosphere, was used for the analysis of the crystallization behavior of the various mixtures and control samples, according to standard procedures. About 5 to 10 mg of sample was sealed into an aluminium cup, heated from 130 °C to 230 °C at a rate of 10 °C/min, held at 220 °C for 5 min, and then subsequently cooled at a rate of 10 °C/min to 50 °C. The data represented as crystallization peak temperatures (T_C) are

the peak temperatures of the exotherms in the thermograms that were recorded upon cooling.

D. Thermo-Gravimetric Analysis (TGA)

- 5 An automated Netzsch TGA instrument (STA 409) operated in nitrogen was used for the analysis of the thermal stability of selected samples. About 10 mg of sample was placed into an aluminum oxide crucible and heated from 50 °C to 640 °C at a rate of 10 °C/min.

10

E. Optical Microscopy

- Selected samples were produced by forming a film from the melt by compression molding at 210 °C and subsequent cooling at a rate of 10 °C/min. These samples
15 were examined in a polarizing optical microscope (Leitz Laborlux 12-Pol) under crossed Nicols in transmitted light.

20 II. DESCRIPTION OF EXAMPLES

Example 1.

- Tris[3,4-bis(decyloxy)phenylene-carbonylimino-1,4-phenylene]amine, (compound I-1 in Table 1) (1 % by weight) was mixed with polypropylene, using the mixing
25 procedure A. Both the neat polypropylene reference sample and the mixture were analyzed by Differential Scanning Calorimetry. The crystallization peak temperature of the

mixture is 12.4 °C higher than that of the neat control sample.

In the following, this difference between the crystallization temperatures of a mixture according to the present invention and that of the control sample is designated ΔT , which equals 12.4 °C in the present example.

Example 2.

Compound I-6 in Table 1 (1 % by weight) was mixed with polypropylene, using the mixing procedure B. Both the neat polypropylene reference sample and the mixture were analyzed by Differential Scanning Calorimetry. $\Delta T = 13.0$ °C.

15

Example 3.

Examples 1 and 2 were repeated with various compounds that were mixed with polypropylene, using either mixing method A (compounds I-1 and I-2) or method B (B1: compounds I-3, I-6, I-8, I-9, II-1, III-1, III-2, III-3, III-4 and III-5; B2: compounds I-4, I-5, I-7, IV-1, IV-2, V-1, V-2, VI, VII and VIII). The following Table 1 collects results that were measured using DSC.

Table I:











No.	Center: A	Substitution	$\Delta T [^{\circ}\text{C}]$
polypropylene reference		none	0,0
I-1		B: $-\text{NH}-\text{CO}-$	$m = 1$
		X: 	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$
<hr/>			
I-2		B: $-\text{NH}-\text{CO}-$	$m = 1$
		X: 	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$
<hr/>			
I-3		B: $-\text{NH}-\text{CO}-$	$m = 1$
		X: 	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$
<hr/>			
I-4		B: $-\text{NH}-\text{CO}-$	$m = 1$
		X: 	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$
<hr/>			
I-5		B: $-\text{NH}-\text{CO}-$	$m = 1$
		X: 	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$

Table I (continued):











No.	Center: A	Substitution	$\Delta T [^{\circ}\text{C}]$
I-6		B: -NH-CO-	m = 1
		X: -CH ₂ -CH ₂ -CH ₂ - 	x = 3
			y = 0
			z = 0
		X': - B': -	x + y + z = 3
<hr/>			
I-7		B: -NH-CO-	m = 1
		X: -CH ₂ - 	x = 3
			y = 0
			z = 0
		X': - B': -	x + y + z = 3
<hr/>			
I-8		B: -NH-CO-	m = 1
		X: -CH ₂ - 	x = 3
			y = 0
			z = 0
		X': - B': -	x + y + z = 3
<hr/>			
I-9		B: -NH-CO-	m = 1
		X: 	x = 3
			y = 0
			z = 0
		X': - B': -	x + y + z = 3
<hr/>			
II-1		B: -NH-CO-	m = 1
		X: 	x = 3
			y = 0
			z = 0
		X': - B': -	x + y + z = 3

Table I (continued):










No.	Center: A	Substitution	$\Delta T [^{\circ}\text{C}]$
III - 1		B: $-\text{CO}-\text{NH}-$	$m = 1$
		X: 	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$
III - 2		B: $-\text{CO}-\text{NH}-$	$m = 1$
		X: 	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$
III - 3		B: $-\text{CO}-\text{NH}-$	$m = 1$
		X: 	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$
III - 4		B: $-\text{CO}-\text{NH}-$	$m = 1$
		X: $-\text{C}_4\text{H}_9$	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$
III - 5		B: $-\text{CO}-\text{NH}-$	$m = 1$
		X: 	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$

Table I (continued):

No.	Center: A	Substitution	$\Delta T [^{\circ}\text{C}]$
IV - 1		B: $-\text{NH}-\text{CO}-\text{NH}-$	$m = 1$
		X:	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$
IV - 2		B: $-\text{NH}-\text{CO}-\text{NH}-$	$m = 1$
		X:	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$
V - 1		B: $-\text{NH}-\text{CO}-$	$m = 1$
		X:	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$
V - 2		B: $-\text{NH}-\text{CO}-$	$m = 1$
		X:	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$
VI		B: $2 \times -\text{NH}-\text{CO}-$	$m = 1$
		$1 \times -\text{O}-\text{CO}-$	$x = 3$
		X:	$y = 0$
			$z = 0$
		X': - B': -	$x + y + z = 3$

Table I (continued):












No.	Center: A	Substitution	$\Delta T [^{\circ}\text{C}]$
VII		B: 2 x $-\text{NH}-\text{CO}-$	$m = 1$
		1 x $-\text{CO}-\text{O}-$	$x = 3$
		X: 2 x $-\text{CH}_2-$ 	$y = 0$
		1 x 	$z = 0$
		X': - B': - $x + y + z = 3$	4,1
VIII		B: 2 x $-\text{NH}-\text{CO}-\text{NH}-$	$m = 1$
		1 x $-\text{CO}-\text{NH}-$	$x = 3$
		X: 2 x  	$y = 0$
		1 x 	$z = 0$
		X': - B': - $x + y + z = 3$	3,5

Table II:

No.	Center: A	Substitution	$\Delta T [^{\circ}\text{C}]$
	polypropylene/ethylene copolymer reference	none	0,0
I-4		B: $-\text{NH}-\text{CO}-$	$m = 1$
		X: 	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': - $x + y + z = 3$	11.8
I-5		B: $-\text{NH}-\text{CO}-$	$m = 1$
		X: 	$x = 3$
			$y = 0$
			$z = 0$
		X': - B': - $x + y + z = 3$	12.5

Example 4.

Films of neat, nucleator-free polypropylene and polypropylene containing 1 % by weight of tris[3,4-bis(decyloxy)phenylene-carbonylimino-1,4-phenylene]amine, (compound I-1 in Table 1) were compression molded at 210 °C, subsequently cooled at a rate of 10 °C/min and crystallized at 104 °C. FIG. 1 is an optical photomicrograph of polypropylene which does not contain a nucleating agent. FIG. 2 is an optical photomicrograph of isotactic polypropylene which contains 1 % by weight of compound I-1. A comparison between the two photomicrographs, which were taken at the same magnification, shows that the spherulite size is much less than 50 % for the polypropylene film which contains the additive than for the neat reference polypropylene, which is indicative of the nucleating ability of the additive; and is the origin of the reduced haze of the former.


Example 5.

Thermo-Gravimetric Analysis (TGA) was carried out under nitrogen on compounds I-5 (curve 3) and I-7 (curve 2) in Table 1 and Millad 3988 (curve 1). FIG. 3 depicts their respective TGA-curves showing the enhanced thermal stability of the compounds according to the present invention.

What is claimed is:

1. A composition comprising (i) a crystallizable thermoplastic polymer and (ii) one or more nucleators of the formula

5



wherein:

x is an integer from two to seven;

y is an integer from zero to four;

10 z is an integer from zero to four;

the sum $x + y + z$ equals an integer from three to seven;

m is an integer from one to three;

and wherein A is a center that is covalently bonded with
 15 moieties B, B' or X', or combinations thereof; wherein
 said moieties B and B' comprise at least one unit capable
 of forming one or more intermolecular hydrogen bonds;
 wherein moieties X and X' are compatible with said
 crystallizable thermoplastic polymer; and wherein X is
 20 covalently bonded to B.

2. A composition according to claim 1 wherein
 said center A is selected from the group consisting of
 carbon, nitrogen, phosphorus, boron and silicon, which may

be substituted with one or more aromatic, cycloaliphatic, aliphatic, alkene, alkyne, diene, ether, thioether or ketone links, and combinations thereof, connected to them; unsubstituted and substituted, single and fused 4, 5, 6 or 5 7 membered aromatic and cycloaliphatic carbon rings, which rings may include one or more heteroatoms such as nitrogen, sulfur and oxygen, and combinations thereof, which may be substituted with one or more aromatic, cycloaliphatic, aliphatic, alkene, alkyne, diene, ether, 10 thioether or ketone links, and combinations thereof.

3. A composition according to claims 1 or 2 wherein said moiety B, which may be the same of different at each occurrence, comprises one or more units selected 15 from the group consisting of esters, thioester, ethers, thioethers, ketones, secondary and tertiary amines, amides, imides, imines, azo, azoxy, ureas, urethanes, thiourethanes and sulfonamides.

20 4. A composition according to any of claims 1 to 3 wherein said moiety B', which may be the same of different at each occurrence, are selected from the group of moieties that comprises one or more carboxylic acid and sulfonic acid, alcohol, phenol, thiol, amine, acetamide, 25 cyano and hydrazine groups.

5. A composition according to any of claims 1 to 4 wherein said moieties X and X', which may or may not be

chiral, and are the same or different at each occurrence are selected from the group consisting of: H, linear and branched alkyl, alkenyl, alkoxy, alkanoyl, alkylthio, alkylthioalkyl, each having from 1 to 20 carbon atoms; 5 linear and branched alkylaryl, arylalkyl, alkylsulfinyl, alkoxyalkyl, alkylsulfonyl, alkoxy carbonyl, carboxylic acid, where the alkyl or alkoxy each has from 1 to 20 carbon atoms; alkyl having from 1 to 20 carbon atoms substituted with one or more sulfonic acid, carboxylic 10 acid, halogen, nitro, cyano, diazo, or epoxy moieties; one or more substituted and unsubstituted single and fused 3, 4, 5, 6 or 7 membered aromatic and alicyclic carbon rings, which rings may include one or more heteroatoms of nitrogen, sulfur, sulfinyl, sulfonyl or oxygen or 15 combinations thereof.


6. A composition according to any of claims 1 to 5, wherein said composition is characterized in that its peak temperature of crystallization is at least 3 ° C 20 higher than the peak temperature of crystallization of said crystallizable thermoplastic polymer.

7. A composition according to any of claims 1 to 6, wherein said composition is characterized in that the 25 size of polymer spherulites in said composition is less than 50 % of the size of spherulites in neat crystallized thermoplastic polymer that is void of said nucleators.

8. A process for enhancing the rate of crystallization of a crystallizable thermoplastic polymer that comprises the addition of an amount between about 0.001 percent by weight and about 20 percent by weight of one or more nucleators as defined in any of claims 1 to 6.

9. Shaped objects comprising the composition according to any of claims 1 to 7 selected from the group consisting of films, fibers, containers, coatings, parts, membranes, rods, tubes, fabrics, and foams.

10. A compound of the general formula



wherein A, B, B', X, X', m, x, y, and z are defined in claim 1; wherein A is substituted or unsubstituted triphenylamine; wherein B comprises an amide unit; and wherein y and z equal zero, under the proviso that the compound 4,4',4''-tris(stearoylamino)triphenylamine is excluded.

11. Use of a compound of formula (1) as defined in any of claims 1 to 5 as a nucleating agent for a crystallizable thermoplastic polymer.

12. A thermoplastic polymer composition comprising:

a) one or more polyolefins selected from the group consisting of polyethylenes, stereoregular polypropylenes and ethylene-propylene copolymers; and

b) one or more of the nucleators according to formula (1), wherein:

i) the center A is a single atom selected from the group consisting of nitrogen and phosphorus; or A is an unsubstituted or substituted, single or fused 5 or 6 membered heterocyclic aromatic or nonaromatic ring, which ring includes carbon and one or more atoms such as nitrogen, sulfur or oxygen, or combinations thereof; and

ii) moieties B that are the same at each occurrence and comprise amides or ureas; or moieties B that are not the same at each occurrence and comprise at least 2 amides and at least 1 moiety selected from the group consisting of esters and ureas; or moieties B that are not the same at each occurrence and that comprise at least 2 ureas and at least 1 moiety selected from the group consisting of esters and amides.

iii) x is three; y is the integer zero or one; z is the integer zero or one; m is the integer one or two.

Figure 1






Figure 2



0914708.01802

Figure 3



DECLARATION AND POWER OF ATTORNEY FOR U.S. PATENT APPLICATIONS

☐ Original ☐ Supplemental ☐ Substitute ☒ PCT

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if more than one name is listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

Nucleators for crystallizable thermoplastic polymers

which is described and claimed in:

- ☐ the attached specification.
- ☐ the specification in U.S. Application No. _____
filed _____ (day/month/year), and as amended on _____ (day/month/year) (if applicable).
- ☒ the specification in International Application No. **PCT/EP 99/01429**
filed **05/03/99**
(day/month/year)
assigned U.S. Application No. _____ (if applicable), and as amended
- ☐ under PCT Article 19 on _____ (if applicable)
(day/month/year)
- ☐ under PCT Article 34 on _____ (if applicable)
(day/month/year)
- ☐ and further amended on _____ (if applicable)
(day/month/year)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information which is known by me to be material to the patentability of this application as defined in 37 C.F.R. § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. § 119 (a)-(d) of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America relating to this subject matter having a filing date before that of the application on which priority is claimed:

COUNTRY/REGION
(OR PCT)

APPLICATION No.

FILING DATE
(day/month/year)

PRIORITY CLAIMED

European Patent

98103812.8

04/03/99

☐ Yes ☒ No
☐ Yes ☐ No
☐ Yes ☐ No
☐ Yes ☐ No
☐ Yes ☐ No

I hereby claim the benefit under 35 U.S.C. § 119 (e) of any United States provisional application(s) listed below:

APPLICATION NO.

FILING DATE
(day/month/year)

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s) or PCT international application(s) designating the United States listed below and, insofar as the application discloses and claims subject matter in addition to that disclosed in the prior copending application, I acknowledge the duty to disclose all information known by me to be material to patentability as defined in 37 C.F.R. § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

U.S. APPLICATION
No.

FILING DATE
(day/month/year)

STATUS

☐ Patented ☐ Pending ☐ Abandoned
☐ Patented ☐ Pending ☐ Abandoned
☐ Patented ☐ Pending ☐ Abandoned
☐ Patented ☐ Pending ☐ Abandoned
☐ Patented ☐ Pending ☐ Abandoned

PCT APPLICATION
No.
(designating the U.S.)

INTERNATIONAL
FILING DATE
(day/month/year)

U.S. APPLICATION
No.
(if any)

STATUS

☐ Patented
☐ Pending
☐ Abandoned

I hereby appoint the following attorneys and agents, associated with Customer No. 000324, each of them with full power of substitution, revocation and appointment of associates, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Luther A. R. Hall (Reg. No. 27,337), JoAnn L. Villamizar (Reg. No. 30,598), Kevin T. Mansfield (Reg. No. 31,635), David R. Crichton (Reg. No. 37,300), Michele A. Kovaleski (Reg. No. 37,865) and Tyler A. Stevenson (Reg. No. 46,388).

Address all correspondence associated with Customer No. 000324 to **Ciba Specialty Chemicals Corporation, Patent Department, 540 White Plains Road, P.O. Box 2005, Tarrytown, NY 10591-9005.**

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. § 1001, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole
or first joint inventor H-00 **SCHMIDT Hans-Werner**

Inventor's signature Hans-Werner Schmidt Date 11. Aug. 2001
(day/month/year)

Residence **Lisztstrasse 26
95444 Bayreuth
Germany** DEX

Citizenship **German**

Post Office Address **same as above**

Full name of second
joint inventor, if any

2-0
SCHILDBACH Thomas

Inventor's signature

[Signature]

Date

16/AUGUST/01
(day/month/year)

Residence

Cité Bettenwiss 15
8479 Eischen
Luxembourg

DEX

Citizenship

German

Post Office Address

same as above

09944700 014802